



Art.-Nr.: 239975  
Herst.-Nr.: Sunlight Wall 240

## ALLNET Sunlight Wall Display 24 Zoll High Brightness FullHD, Signage

[>>> Zum Shop-Artikel](#)



### EAN CODE



ALLNET Signage Display 24 Zoll FullHD Wanddisplay, Showroom Series FullHD

Maximale Auflösung: 1920\*1080;  
Betrachtungswinkel: 89/89/89/89;Helligkeit: 1000 nits  
Wandmontage  
Farbe Schwarz

|         |                  |                                                    |
|---------|------------------|----------------------------------------------------|
| System  | CPU              | RK3588S2 Quad core cortex A55+Quad core cortex A76 |
|         | RAM              | 8GB                                                |
|         | Internal memory  | 64GB                                               |
|         | Operation system | Android 13                                         |
| Display | Panel Size       | 24" TFT                                            |
|         | Panel Type       | IPS                                                |
|         | Resolution       | 1920x1080 16:9                                     |
|         | Display Colors   | 16.7M Colors                                       |
|         | Color Gamut      | sRGB 99%                                           |
|         | Display mode     | Normally black                                     |
|         | Viewing angle    | 85/85/85/85(L/R/U/D)                               |
|         | Contrast ratio   | 3000:1                                             |
|         | Luminance        | 1000 cdm2                                          |

|                |                     |                                                               |
|----------------|---------------------|---------------------------------------------------------------|
|                | Aspect Ratio        | 16:9                                                          |
|                | Response Time       | 14ms                                                          |
|                | Back-light Type     | LCD                                                           |
| Network        | WiFi                | 802.11b/g/n/a/ 2,4/5GHz                                       |
|                | Ethernet            | 100M/1000M                                                    |
|                | Bluetooth           | Bluetooth 5.0                                                 |
| Interface      | Power Jack          | IEC C13                                                       |
|                | MIC IN              | no                                                            |
|                | Earphone Output     | no                                                            |
|                | Type-c              | yes                                                           |
|                | SIM Slot            | no                                                            |
|                | USB                 | Standard USB 2.0 Host                                         |
|                | USB                 | USB 3.0                                                       |
|                | USB                 | USB 3.0                                                       |
|                | RJ45                | Ethernet interface                                            |
| Other          | Product Colors      | white/Black                                                   |
|                | VESA                | no                                                            |
| Other<br>Power | Speaker             | 40*5W*2                                                       |
|                | NFC                 | no                                                            |
|                | G-sensor            | no                                                            |
|                | Camera              | no                                                            |
|                | Language            | Multi-language                                                |
|                | Certificates        | CE/FCC                                                        |
|                | Power Type          | -                                                             |
|                | Input Voltage       | 230V über internes Netzteil (12V Anschluss nicht ausreichend) |
|                | Power consumption   | =60W                                                          |
| Surrounding    | Storage Temperature | -20°C---60°C                                                  |
|                | Working Temperature | 0°C---45°C 20~80%RH                                           |
|                | Adapter             | internal                                                      |

## Merkmale

| Merkmal          | Wert   |
|------------------|--------|
| Einsatzbereiche: | indoor |



Art.-Nr.: 239975  
Herst.-Nr.: Sunlight Wall 240

| Merkmal                  | Wert         |
|--------------------------|--------------|
| Farbe Gehäuse:           | schwarz      |
| IP Schutzklasse Display: | IP 20        |
| Gewicht:                 | 7 Kg         |
| Garantie:                | 24.00 Monate |